



On behalf of all the team at Denbigh Timber Products, we welcome you. It is our aim to inspire, assist and ensure that every product we provide brings you complete satisfaction

## CONTENTS

PRECEDENT RANGE	01 - 05	BESPOKE GATES	19
TRADITIONAL FENCING	06 - 07	STORAGE SOLUTIONS	20 - 23
PALISADE FENCING	08	SUMMERHOUSES	23
TRELLIS	09	GAZEBOS AND PERGOLAS	24
CHILDRENS PLAY HOUSES	10	GARDEN ARBOURS/ PLANTERS	25
THE GATE RANGE	11 - 15	GARDEN FURNITURE	26
THE ESTATE GATE RANGE	16 - 18	LANDSCAPING ESSENTIALS	27
BESPOKE ITEMS	19	PETS PALACES	28

Email: sales@denbightimberproducts.co.uk

Call Sales Direct: 01745 813737

www.denbightimberproducts.co.uk



## PRECEDENT RANGE

### **Exclusive To Denbigh Timber Products**

### Other Sizes Available

This Range of Fencing and Gates is inspired and created by our own in-house designers ensuring attention to detail and quality throughout. Manufactured using planed and pressure treated tongue and groove board, and all held in place with stainless steel fixings. Information - Aperture refers to the size of the gap in the Trellis

### The Oak

An elegant backdrop to any garden a solid tongue and groove base combined with a Diamond Effect Trellis.



PR/OAK6' 1828W X 1800H PR/OAK5' 1828W X 1500H PR/OAK4' 1828W X 1200H PR/OAK3' 1828W X 900H All sizes to shoulder height (pg 2)

12mm V-Joint board 300mm high 45 x 19mm Battens: Approx 75 x 75mm (3" x 3") Aperture: Bevelled top cap



## The Thetford

A Contemporary backdrop to any garden.



PR/THETFORD6' 1828W X 1800H PR/THETFORD5' 1828W X 1500H PR/THETFORD4' 1828W X 1200H PR/THETFORD3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: Trellis: 300mm high Battens: 45 x 19mm Approx 75 x 75mm (3" x 3") Aperture: Finished: Bevelled top cap Pressure Treated Gree

12mm V- Joint board



### The Acorn

Aesthetically pleasing and a very popular choice a solid tongue & groove base panel combined with a domed diamond effect trellis



PR/ACORN6' 1828W X 1800H PR/ACORN5' 1828W X 1500H PR/ACORN4' 1828W X 1200H PR/ACORN3' 1828W X 900H

Cladding: Trellis: Battens: Aperture: Finished:

12mm V-Joint board 300mm high 45 x 19mm Approx 75 x 75mm (3" x 3") Flexi top cap



The name of the Elite Panels is for its identification only. The panels are all manufactured using planed all round Pressure Treated Green softwood timber. Posts, ironmongery, finials and bases are all sold separately.

### 


## PRECEDENT RANGE

If you require gates to compliment your chosen fence but need

advice, just call or email our sales team who will be happy to help.

### Matching Gates available / Other Sizes Available

Your Guide to Panel Heights for your Precedent Range





### Cedar Screens

A stunning screen with multiple uses. Stylish whilst contemporary, straight, uniformed lines it can be manufactured, horizontally or vertically.



### The Kielder

An Elite, alternative, using horizontal cladding combined with open slats.



PR/KIELDER6' 1828W X 1800H PR/KIELDER5' 1828W X 1500H PR/KIELDER4' 1828W X 1200H PR/KIELDER3' 1828 W X 900H All sizes to shoulder height (pg 2)

Cladding: 12mm Shiplap 45 x 19mm Battens: Finished: top cap Treatment: Pressure Treated

## The Whinfell

Open slats creating a screen in the garden whilst allowing strands of light to flow through.



PR/WHINFELL6 1828W X 1800H PR/WHINFELL5' 1828W X 1500H PR/WHINFELL4' 1828W X 1200H PR/WHINFELL3' 1828W X 900H PR/WHINFELL2' 1828W X 600H

PR/WHINFELL1' 1828W X 300H All sizes to shoulder height (pg 2)

Cladding: 45x19mm Battens: 45 x 19mm Bevelled top cap Finished: Freatment: Pressure Treated Green

## The Birch

Elite panel providing strength and durability. This square top panel compliments any garden.



PR/BIRCH6' 1828W X 1800H PR/BIRCH5' 1828W X 1500H PR/BIRCH4' 1828W X 1200H PR/BIRCH3' 1828W X 900H ll sizes to shoulder height (pg 2)

Cladding:

Bevelled top cap Pressure Treated

## The Maple

Providing strength and durability this domed top panel compliments any garden.



PR/MAPLE6' 1828W X 1800H PR/MAPLE5' 1828W X 1500H PR/MAPLE4' 1828W X 1200H PR/MAPLE3' 1828W X 900H All sizes to shoulder height (pg 2)

Finished:

12mm V-Joint board Flexi top cap Treatment: Pressure Treated

Every Product is manufactured in the UK

01

## PRECEDENT RANGE

### Matching Gates available / Other Sizes Available

## The Sapele

The Sapele is manufactured using vertical v. jointed T & G boards.



Create a flowing wave effect along your boundary. Sapele & Walnut side by side

PR/SAPELE6' 1828W X 1800H PR/SAPELE5' 1828W X 1500H PR/SAPELE4' 1828W X 1200H PR/SAPELE3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 12mm V-Joint board Finished: Flexi top cap

### The Walnut

The Walnut is manufactured using vertical v. jointed T & G boards



PR/WALNUT6' 1828W X 1800H PR/WALNUT5' 1828W X 1500H PR/WALNUT4' 1828W X 1200H PR/WALNUT3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 12mm V-Joint board Flexi top cap Pressure Treated Green

## The Sycamore

As an individual panel or combined with the 'Poplar' to create a pleasing line.



PR/SYCAMORE6' 1828W X 1800H PR/SYCAMORE5' 1828W X 1500H PR/SYCAMORE4' 1828W X 1200H PR/SYCAMORE3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 12mm V-Joint board 300mm high 45 x 19mm Approx 75 x 75mm (3"x 3") Finished: Flexi top cap

## The Poplar

Using vertical v. jointed timber boards for the base, complimented by concave diamond trellis



1828W X 1800H PR/POPLAR5 1828W X 1500H PR/POPLAR4' 1828W X 1200H PR/POPLAR3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 12mm V-Joint board Trellis: 300mm high 45 x 19mm Approx 75 x 75mm (3"x 3") Flexi top cap Pressure Treated Green

## The Holly

The 'Holly' Elite panel offers an elegant backdrop to any garden.



1828W X 1800F PR/HOLLY6' PR/HOLLY5' 1828W X 1500H PR/HOLLY4' 1828W X 1200H PR/HOLLY3' 1828W X 900H All sizes to shoulder height (pg 2)

Claddina: 12mm V-Joint board 300mm high Trellis: 45 x 19mm Battens: Approx 75 x 75mm (3"x 3") Aperture: Finished: Flexi top cap Pressure Treated Gree

### The Fern

An elegant backdrop to any garden a solid tongue and groove base combined with a Diamond Effect Trellis.



PR/FERN6' PR/FFRN5' 1828W X 1500H PR/FERN4' 1828W X 1200H PR/FERN3' 1828W X 900H All sizes to shoulder height (pg 2)

12mm V-Joint board Trellis: 300mm high 45 x 19mm Approx 75 x 75mm (3"x 3") Finished Flexi top cap Pressure Treated Green

## The Chevron

This herringbone effect creates a stunning feature





PR/CHEV6 1828W X 1800H PR/CHEV5' 1828W X 1500H PR/CHEV4' 1828W X 1200H PR/CHEV3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: Finished:

95 x 12mm Bevelled top cap Pressure Treated Green

## PRECEDENT RANGE

### Matching Gates available / Other Sizes Available

## The Kinver

Elegant straight lines, pleasing to the eye from both sides.



PR/KINVER6' 1828W X 1800H PR/KINVER5' 1828W X 1500H PR/KINVER4' 1828W X 1200H PR/KINVER3' 1828W X 900H

All sizes to shoulder height (pg 2) Cladding: 95 x 12mm

Finished: Bevelled top cap Pressure Treated Green

### The Ashdown

Elegant straight lines combined with a diamond effect trellis



PR/ASHDOWN6' 1828W X 1800H PR/ASHDOWN5' 1828W X 1500H PR/ASHDOWN4' 1828W X 1200H PR/ASHDOWN3' 1828W X 900H

All sizes to shoulder height (pg 2)

Cladding: 95 x 12mm

45 x 19mm battens x 300mm high Bevelled top cap eatment: Pressure Treated Gree

### The Arden

Designed to give both aspects the same appearance combined with a square trellis.



PR/ARDEN6' 1828W X 1800H PR/ARDEN5' 1828W X 1500H PR/ARDEN4' 1828W X 1200H PR/ARDEN3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 95 x 12mm 45 x 19mm battens X 300mm high Bevelled top cap Finished: Pressure Treated G

### The Delamere

A double sided effect, complimented with a decorative domed Square Trellis top, pleasing to view from either side.



PR/DELAMERER6' 1828W X 1800H PR/DELAMERE5' 1828W X 1500H PR/DELAMERE4' 1828W X 1200H PR/DELAMERE3' 1828W X 900H

All sizes to shoulder height (pg 2)

95 x 12mm 45 x 19mm battens Trellis: X 300mm high

Flexi top cap Treatment: Pressure Treated Green

## The Epping

Offers elegant straight lines with evenly spaced horizontal timber complimented by a decorative diamond effect trellis.



PR/EPPING6' 1828W X 1800H PR/EPPING5' 1828W X 1500H PR/EPPINIG4' 1828W/ X 1200H PR/EPPING3' 1828W X 900H All sizes to shoulder height (pg 2)

Cladding: 95 x 12mm 45 x 19mm battens X 300mm high Flexi top cap

Bespoke/ Made to Measure available. See Page 19

## The Cherry

Vertical lines with uniformed spacing creating an obscure screen



PR/CHERRY6' 1828W X 1800H PR/CHERRY5' 1828W X 1500H PR/CHERRY4' 1828W X 1200H PR/CHERRY3' 1828W X 900H All sizes to shoulder height (pg 2)

45 x 19mm Cladding: 95 x 19mm Flexi top cap Treatment: Pressure Treated Green

### The Siesta

Inspired by our show garden. A brick effect using timber panels Contemporary viewed from both sides





PR/SIESTA6' 1828W X 1800F PR/SIESTA5' 1828W X 1500H PR/SIESTA4' 1828W X 1200H PR/SIESTA3' 1828W X 900H All sizes to shoulder height (pg 2)

> Cladding: Bevelled top cap Pressure Treated Green



available. See Page 19

## PRECEDENT RANGE

Matching Gates available / Other Sizes Available

### Trellis and Palisade

### The Willow

Decorative trellis to create a perimeter fence without spoiling the view.



PR/WILLOW6'	1828W X 1800H
PR/WILLOW5'	1828W X 1500H
PR/WILLOW4'	1828W X 1200H
PR/WILLOW3'	1828W X 900H
PR/WILLOW2'	1828W X 600H
PR/WILLOW1'	1828W X 300H

Battens:	45 x 19mm
Aperture:	Approx 75 x 75mm (3"x 3")
Finished:	Bevelled top cap
Treatment:	Pressure Treated Green

### The Flm

A classic palisade panel with a planed finish.



PR/ELM6'	1828W X 1800H
PR/ELM5'	1828W X 1500H
PR/ELM4'	1828W X 1200H
PR/ELM3'	1828W X 900H
PR/ELM2'	1828W X 600H
PR/ELM1'	1828W X 300H

Palins: Spacing: Treatment:	70 x 19mm Approx 50 x 50mm (2" Pressure Treated Green

## The Ash

Decorative concave diamond trellis



PR/ASH6'	1828W X 1800H
PR/ASH5'	1828W X 1500H
PR/ASH4'	1828W X 1200H
PR/ASH3'	1828W X 900H
PR/ASH2'	1828W X 600H
PR/ASH1'	1828W X 300H

Battens:	45 x 19mm
Aperture:	Approx 75 x 75mm (3"x 3")
Finished:	Flexi to cap
Treatment:	Pressure Treated Green

## The Cedar

A classic palisade panel with a planed



PR/CEDAR6' 1828W X 1800H PR/CEDAR5' 1828W X 1500H PR/CEDAR4' 1828W X 1200H PR/CEDAR3' 1828W X 900H PR/CEDAR2' 1828W X 600H PR/CEDAR1' 1828W X 300H

Approx 50mm (2") Pressure Treated Green

## The Pine

Decorative convex trellis to create a perimeter fence



### PR/PINE6' 1828W X 1800H PR/PINE5' 1828W X 1500H PR/PINE3' 1828W X 900H PR/PINE2' 1828W X 600H PR/PINE1' 1828W X 300H

Battens:	45 x 19mm
Aperture:	Approx 75 x 75mm (3"x 3")
Finished:	Flexi to cap
<b>+</b>	D T . IC

## The Spruce

Convex in shape with a planed finish.



١		
l	PR/SPRUCE6'	1828W X 1800H
	PR/SPRUCE5'	1828W X 1500H
	PR/SPRUCE4'	1828W X 1200H
	PR/SPRUCE3'	1828W X 900H
	PR/SPRUCE2'	1828W X 600H
	PR/SPRUCE1'	1828W X 300H

70 x 19mm Approx 50mm (2") Pressure Treated Gree

## The 'Hafan' Privacy Trellis

The Hafan offers a high level of obscurity but still maintaining an open aspect.



PR/HAFAN6'	1828W X 1800H
PR/HAFAN5'	1828W X 1500H
PR/HAFAN4'	1828W X 1200H
PR/HAFAN3'	1828W X 900H
PR/HAFAN2'	1828W X 600H
PR/HAFAN1'	1828W X 300H

45 x 19mm Aperture: Approx: 20 x20 mr Finished: Bevelled top cap Treatment: Pressure Treated Green



## TRADITIONAL FENCING

We have an extensive range of Garden Gates to Compliment your chosen fencing

The Waney A Classic, traditional panel constructed with overlapped waney slats. Cost effective, whilst defining your boundary



### Standard

NA6X6 1828W X 1828H NA6X5 1828W X 1524H WA6X4 1828W X 1210H WA6X3 1828W X 914H WA6X2 1828W X 609H

16 x 38mm 4.7mm x 100/150



#### Pressure Treated

WA6X6PTG 1828W X 1828H WA6X5PTG 1828W X 1524H WA6X4PTG 1828W X 1210H WA6X3PTG 1828W X 914H WA6X2PTG 1828W X 609H

16 x 38mm 4.7mm x 100/150 Finished: Bevelled top cap reatment: Pressure

## The Super Waney



#### Standard

SUPER6X6 1828W X 1828H SUPER6X5 1828W X 1524H SUPER6X4 1828W X 1210H SUPER6X3 1828W X 914H SUPER6X2 1828W X 609H

7 mm x 100/150

### **Pressure Treated**

A Classic, traditional panel constructed with overlapped

waney slats. Cost effective, whilst defining your boundary

SUPER6X6PTB 1828W X 1828H SUPER6X5PTB 1828W X 1524H SUPER6X4PTB 1828W X 1210H SUPERAX3PTR 1828W X 914H SUPER6X2PTB 1828W X 609H

### The Interwoven A panel from a bygone era, classical & timeless viewed from any side



#### Standard Pressure Treated INT6x6 1828W X 1828H

INT6X6PTG 1828W X 1828H INT6X5 1828W X 1524H INT6X5PTG 1828W X 1524H INT6X4 1828W X 1210H INT6X4PTG 1828W X 1210H INT6X3 1828W X 914H INT6X3PTG 1828W X 914H INT6X2 1828W X 609H INT6X2PTG 1828W X 609H

The Hit and Miss Designed for extremes to let the wind pass through. Solid and sturdy but maintaining your privacy.



#### Standard

HM6X6 1828W X 1828H HM6X5 1828W X 1524H HM6X4 1828W X 1210H HM6X3 1828W X 914H HM6X2 1828W X 609H

16 x 38mm

Finished: Bevelled top cap

4.7mm x 100/150

Cladding: 125 x 10mm

#### **Pressure Treated**

HM6X6PTG 1828W X 1828H HM6X5PTG 1828W X 1524H HM6X4PTG 1828W X 1210H HM6X3PTG 1828W X 914H HM6X2PTG 1828W X 609H

## The Darwin





A contemporary twist on the Vertical Board with channelling and straight lines. A very modern fence panel. Only available pressure treated

DAR6X6PTG 1828W X 1828H DAR6X5PTG 1828W X 1524H DAR6X4PTG 1828W X 1210H DAR6X3PTG 1828W X 914H DAR6X2PTG 1828W X 609H





## TRADITIONAL FENCING

As with all images, the Panels, Posts, Ironmongery, Finials and bases are all sold separately. Matching Gates Available

### The Closeboard

Constructed with strength and longlife in mind. Vertical boards held in place using heavy duty rails and finished with a bevelled top cap and end battens. Strength, security and privacy. Featheredge slats available. See Page 27.





#### Standard

VB6X6 1828W X 1828H VB6X5 1828W X 1524H VB6X4 1828W X 1210H VR6X3 1828W X 914H VB6X2 1828W X 609H

75 x 22 x 1795mm Side battens: 16 x 38mm Cladding: 125 x 10mm Finished: Bevelled top cap





#### Pressure treated

VB6X6PTG 1828W X 1828H VB6X5PTG 1828W X 1524H VB6X4PTG 1828W X 1210H VB6X3PTG 1828W X 914H VB6X2PTG 1828W X 609H

75 x 22 x 1795mm Backrails: Side battens: 16 x 38mm 125 x 10mm Bevelled top cap

## Convex Closeboard



#### Standard

Top of the Bow BOVB6X6 1828W X 1808H BOVB6X5 1828W X 1508H BOVB6X4 1828W X 1208H BOVB6X3 1828W X 908H BOVB6X2 1828W X 608H

#### Pressure treated

Top of the Bow BOVB6X6 1828W X 1808H BOVB6X5 1828W X 1508H BOVB6X4 1828W X 1208H BOVB6X3 1828W X 908H BOVB6X2 1828W X 608H



#### Standard

Top of the Bow BOVB6X6'6" 1828W X 1982H BOVB6X5'6" 1828W X 1676H BOVB6X4'6" 1828W X 1372H BOVB6X3'6" 1828W X 1066H BOVB6X2'6" 1828W X 762H

#### Pressure treated

Top of the Bow BOVB6X6'6"PTG 1828W X 1982H BOVB6X5'6"PTG 1828W X 1676H BOVB6X4'6"PTG 1828W X 1372H BOVB6X3'6"PTG 1828W X 1066H BOVB6X2'6"PTG 1828W X 762H

## Concave Closeboard



#### Standard

BUVB6X6 1828W X 1808H BUVB6X5 1828W X 1508H BUVB6X4 1828W X 1208H BUVB6X3 1828W X 908H BUVB6X2 1828W X 608H

#### Pressure treated

BUVB6X6PTG 1828W X 1808H BUVB6X5PTG 1828W X 1508H BUVB6X4PTG 1828W X 1208H BUVB6X3PTG 1828W X 908H BUVB6X2PTG 1828W X 608H

"As with all our ranges, we can cater for nonstandard sizes. We appreciate that every garden is different. If you advise us of the dimensions you require, we can manufacture the product to your specification. There are also matching gates available."



## PALISIDE FENCING

Matching Gates available






## Picket / Palisade fencing

Created with uniformed 50mm (2") gaps using 75 x 22mm Palins, numerous styles and sizes available. The Palisade is ideal as a boundary or as a garden border.

Also available in a Concave (Bowed under) and Convex (Bowed over) style with pointed or round tops



Standard Round Top Palins Flat Top

PIK6X6R 1795W X 1800H PIK6X5R 1795W X 1500H PIK6X4R 1795W X 1200H PIK6X3R 1795W X 900H PIK6X2R 1795W X 600H Pressure Treated Green (PTG) Available

Standard -

PIK6X6R 1795W X 1800H PIK6X5R 1795W X 1500H PIK6X4R 1795W X 1200H PIK6X3R 1795W X 900H PIK6X2R 1795W X 600H Pressure Treated Green



Round Top Palins Bowed Over (Convex)

PIK6X6R/BO 1795W X 1800H Pressure Treated Green (PTG) Available

Round Top Palins Flat Top

(PTG) Available



Size to the Top of the Bow

PIK6X5R/BO 1795W X 1500H PIK6X4R/BO 1795W X 1200H PIK6X3R/BO 1795W X 900H PIK6X2R/BO 1795W X 600H

Standard-Round Top Palins Bowed Over (Convex)

Size to the Top of the Bow

PIK6X6R/BO 1795W X 1800H PIK6X5R/BO 1795W X 1500H PIK6X4R/BO 1795W X 1200H PIK6X3R/BO 1795W X 900H PIK6X2R/BO 1795W X 600H Pressure Treated Green (PTG) Available

"Wood is a natural product and is susceptible to

extremes of weather conditions, such as warping

and twisting in dry spells when the timber dries

commonly known as shakes. Such reactions are

correct installation and recurring maintenance. "

too quickly, and this may cause small splits -

natural. These effects may be reduced with



Standard-Round Ton Paling Bower Under (Concave)

Size to the Top of the Shoulder

PIK6X6R/BU 1795W X 1800H PIK6X5R/BU 1795W X 1500H PIK6X4R/BU 1795W X 1200H PIK6X3R/BU 1795W X 900H PIK6X2R/BU 1795W X 600H Pressure Treated Green (PTG) Available

Standard-Round Top Palins Bower Under (Concave)

Size to the Top of the Shoulder

PIK6X6R/BU 1795W X 1800H PIK6X5R/BU 1795W X 1500H PIK6X4R/BU 1795W X 1200H PIK6X3R/BU 1795W X 900H PIK6X2R/BU 1795W X 600H Pressure Treated Green (PTG) Available











Bespoke Palisade Fencing






### **TRELLIS**

### This open style has multiple uses.

### Can be used as fencing or as an infill for pergola features

Created with uniformed gaps using sawn timber battens (38 x 16mm) numerous styles and sizes available. The trellis is ideal as a boundary or as a garden border. Available in square or diamond style and is supplied in dipped or Pressure Treated Green. Trellis Aperture sizes may vary as heights and widths and timber sizes dictate aperture dimensions.

## 6" Square Trellis



1828W X 1828H 1828W X 1524H SQ6X4 1828W X 1210H SO6X3 1828W X 914H SQ6X2 1828W X 609H SQ6X1 1828W X 304H





BOSO6X3 1828W X 914H espoke/ Made to Measu BOSO6X2 1828W X 609H available. See Page 19 ROSO6X1

espoke/ Made to Measu

available. See Page 19

espoke/ Made to Measu


available. See Page 19

espoke/ Made to Measur

available. See Page 19

BUSO6X6 1828W X 1828H BUSO6X5 1828W X 1524H BUSO6X4 1828W X 1210H BUSO6X3 1828W X 914H BUSO6X2 1828W X 609H BUSO6X1 1828W X 304H

## 4" Square Trellis



SQ4"6X6 1828W X 1828H SQ4"6X5 1828W X 1524H SQ4"6X4 1828W X 1210H SQ4"6X3 1828W X 914H SQ4"6X2 1828W X 609H SO4"6X1 1828W X 304H Available Pressure Treated



BO4"SQ6X4 1828W X 1210H BO4"SQ6X3 1828W X 914H BO4"SQ6X2 1828W X 609H BO4"SO6X1 1828W X 304H

1828W X 304H

BO4"SQ6X5 1828W X 1524H BU4"SQ6X5 1828W X 1524H BU4"SQ6X4 1828W X 1210H BU4"SQ6X3 1828W X 914H

BU4"SQ6X2 1828W X 609F

BU4"SO6X1 1828W X 304F

## 3" Square Trellis



1828W X 1828H SQ3"6X6 SQ3"6X5 1828W X 1524H SQ3"6X4 1828W X 1210H SO3"6X3 1828W X 914H SQ3"6X2 1828W X 609H SQ3"6X1 1828W X 304H Available Pressure Treated



BO3"SQ6X5 1828W X 1524H BO3"SQ6X4 1828W X 1210H BO3"SQ6X3 1828W X 914H BO3"SQ6X2 1828W X 609H BO3"SQ6X1 1828W X 304H




BU3"SQ6X2 1828W X 609H

BU3"SQ6X1 1828W X 304H


## 6" Diamond Trellis



1828W X 1828H DT6X66' DT6X56" 1828W X 1524H DT6X46" 1828W X 1210H DT6X36" 1828W X 914H 1828W X 609H DT6X26" DT6X16" 1828W X 304H Available Pressure Treated



DTBO6X63" 1828W X 1828H DTBO6X53" 1828W X 1524H DTRO6X43" 1828W X 1210H DTBO6X33" 1828W X 914H DTBO6X23" 1828W X 609H DTBO6X13" 1828W X 304H




DTBU6X63" 1828W X 1828H DTBU6X53" 1828W X 1524H DTRU6X43" 1828W X 1210H DTBU6X33" 1828W X 914H DTBU6X23" 1828W X 609H DTBU6X13" 1828W X 304H

## 3" Diamond Trellis



DT6X63" 1828W X 1828H DT6X53" 1828W X 1524H DT6X43" 1828W X 1210H DT6X33" 1828W X 914H DT6X23" 1828W X 609H DT6X13" 1828W X 304H Available Pressure Treated



DTBO6X63" 1828W X 1828H DTBO6X53" 1828W X 1524H DTBO6X33" 1828W X 914H DTBO6X23" 1828W X 609H



DTBU6X53" 1828W X 1524H DTBO6X43" 1828W X 1210H DTBU6X43" 1828W X 1210H DTBU6X33" 1828W X 914H espoke/ Made to Measu DTBU6X23" 1828W X 609H available. See Page 19 DTBO6X13" 1828W X 304H DTBU6X13" 1828W X 304H

## Fan Trellis



· Sawn Finish

09

· Constructed with 16 x 38 battens



609MMX1800MM FT6X2 914MMX1800MM FT6X3

**Pressure Treated** FT6X2PTG 609MMX1800MM FT6X3PTG 914MMX1800MM

"We specialise in Bespoke, made to measure items. If you can't find what you're looking for speak to our design team"



## CHILDREN'S PLAYHOUSES


Built to order, by hand, the way a craftsman builds a home. All children dream of having their own special place, our playhouses provide a space for children to explore the world through imaginative play, supporting their intellectual and physical development.

### Bespoke Playhouse on stilts



Townhouse







Bespoke Playhouse



Manor House





"Any Size. Any Style!:




### THE GATE RANGE

We offer an extensive range of gates, entrance and field gates. That can serve a multitude of purposes.....

### 'Beacon' 5 Bar Field Gate

The Beacon 5 Bar Field Gates are perfect for both agricultural and domestic use. Mortice and Tenon Joints. Hardwood & Oak also available. 6 Bars also available to reduce the rail spacing. Manufactured to be hung right or left hand at no extra cost.





Example of a 6 bar field gate

espoke/ Made to Measur ailable. See Page 19

#### Specification

95mm x 70mm 70mm x 70mm **Bottom Rail** 120mm x 70mm Hanging post: Slamming post: 70mm x 70mm

70mm x 19mm with equal spacing between

rails set at 170mm approx.

Slow grown Scandinavia Whitewood

#### Standard sizes

5BARFIELD14FTSPTG 1200H X 4267W 5BARFIELD13FTSPTG 1200H X 3962W 5BARFIELD12FTSPTG 1200H X 3660W 5BARFIELD11FTSPTG 1200H X 3352W 5BARFIELD10FTSPTG 1200H X 3048W

5BARFIELD8FTSPTG 1200H X 2438W 5BARFIELD7FTSPTG 1200H X 2134W 5BARFIELD6FTSPTG 1200H X 1828W 5BARFIELD5FTSPTG 1200H X 1525W 5BARFIFI D4FTSPTG 1200H X 1220W 5BARFIELD9FTSPTG 1200H X 2743W 5BARFIELD3FTSPTG 1200H X 915W

### 'Barmouth' 5 Bar Entrance Gate



#### Specification

11

Top Rail: 120mm x 70mm tapering to 70 x 70

70mm x 70mm **Bottom Rail** Hanging post: Slamming post: 70mm x 70mm

70mm x 19mm with equal spacing between

rails set at 170mm approx.

Slow grown Scandinavia Redwood

5BAR14FTS 1200H X 4267W 5BAR13FTS 1200H X 3962W 5BAR12FTS 1200H X 3660W 5BAR11FTS 1200H X 3352W 5BAR10FTS 1200H X 3048W 5BAR9FTS 1200H X 2743W

5BAR8FTS 1200H X 2438W 5BAR7FTS 1200H X 2134W 5BAR6FTS 1200H X 1828W 5BAR5FTS 1200H X 1525W 5BAR4FTS 1200H X 1220W 5BAR3FTS 1200H X 915W

### THE GATE RANGE

### Gates to secure your Property

### 'Bala' Closeboard Gate

Planed framing and Clad with sawn vertical boards. Perfect to Match Closeboard Panels





#### Specification

Framed Ledged and Braced

Stiles and top rails: 95mm x 45mm Bottom Rail 145mm x 25mm Mid Rail: 145mm x 25mm 95mm x 25mm Cladding 125 x 10mm boarding Bevelled top cap Top Cap:

Dipped or Pressure Treated Green (PTG) Treatment

All Ironmongery available separately and any size that you require

#### spoke/ Made to Measur available. See Page 19

Standard stock sizes available VBGATE6X3 914W X 1800H VBGATE5X3 914W X 1500H

VBGATE4X3 914W X 1200H VBGATE3X3 914W X 900H

### 'Pecan' Convex Closeboard Gate

Planed framing and Clad with sawn vertical boards and a Convex Top





#### Specification

Framed Ledged and Braced

All heights shown are to the top of the bow Top rails: 95mm x 25mm Bottom Rail: Mid Rail: 95mm x 25mm Bracing:

Cladding: 125 x 10mm boarding Top Cap: Flexi cap

Dipped or Pressure Treated Green (PTG)

poke/ Made to Measu available. See Page 19

Standard stock sizes available VBGATE6X3BO 914W X 1800H VBGATE5X3BO 914W X 1500H VBGATE4X3BO 914W X 1200H

VBGATE3X3BO 914W X 900H

### 'Strata' Garden Door

Crafted to compliment your garden with a planed finish and smooth lines





#### Specification

Framed Ledged and Braced 95mm x 45mm Stiles: Top rails: 95mm x 32mm 95mm x 32mm Bottom Rail: Mid Rail: 95mm x 32mm Bracing: 70mm x 19mm

Cladding: 12mm Tongue and Groove boards Top Cap: Bevelled Top Cap

Pressure Treated Green (PTG) Treatment:

spoke/ Made to Measur available. See Page 19

Standard stock sizes available DOOR6' 914W X 1800H

DOOR5' 914W X 1500H DOOR4' 914W X 1200H DOOR3' 914W X 900H

## 'Holywood' Convex Garden Door

Arched Top to give the Swept Effect





#### Specification

Framed Ledged and Braced Stiles: Top rails: 95mm x 32mm 95mm v 32mm Rottom Rail· Mid Rail: 95mm x 32mm Bracing: 70mm x 19mm

Cladding: 12mm Tongue and Groove boards Flexi Top Cap Top Cap:

Pressure Treated Green (PTG)

Treatment:

DOOR6'BO 914W X 1800H

DOOR5'BO 914W X 1500H DOOR4'BO 914W X 1200H

spoke/ Made to Measu

available. See Page 19

Standard stock sizes available

DOOR3'BO 914W X 900H

### THE GATE RANGE

### Gates to secure your Property

### 'Whitland' Garden Door

This design incorporates our diamond effect aperture to enhance the entrance to your garden







#### Specification

Framed Ledged and Braced

95mm x 45mm Stiles: Top/Bottom rails: 95mm x 32mm Mid Rail: 95mm x 32mm Bracing: 70mm x 19mm Diamond effect infill: 420mm x420mm

Cladding: 12mm Tongue and Groove boards

Top Cap: Bevelled Top Cap

Pressure Treated Green (PTG)

#### spoke/ Made to Measu available. See Page 19

Standard stock sizes available

DOOR6'INFILL 914W X 1800H DOOR5'INFILL 914W X 1500H DOOR4'INFILL 914W X 1200H DOOR3'INFILL 914W X 900H

### 'Ceylon' Convex Garden Door





#### Specification

Framed Ledged and Braced

Stiles: Top/Bottom rails: 95mm x 32mm 95mm x 32mm Mid Rail: Bracing: 70mm x 19mm Diamond effect infill: 420mm x420mm

Cladding 12mm Tongue and Groove boards

Top Cap: Flexi Top Cap

Treatment:

This design incorporates our diamond effect Aperture to enhance the entrance to your garden combined with a convex finish

#### Bespoke/ Made to Measure available. See Page 19

Standard stock sizes available:

DOOR6'INFILLBO 914W X 1800H DOOR5'INFILLBO 914W X 1500H DOOR4'INFILLBO 914W X 1200H DOOR3'INFILLBO 914W X 900H

### 'Hornbean' L&B Gate



Simply Constructed but built to last, delivered untreated

Pressure Treated Green (PTG)





### Specification

Ledged and Braced

Top/Bottom rails: 145mm x 32mm Mid Rail 145mm x 32mm Bracing: 70mm x 19mm Cladding

18mm V Joint board Treatment: Untreated

#### espoke/ Made to Measure available. See Page 19

Standard stock sizes available

DOOR6'/HB 914W X 1800H DOOR5'/HB 914W X 1500H DOOR4'/HB 914W X 1200H DOOR3'/HB 914W X 900H

### 'Fairbourne' Convex L&B Gate

Simply Co nstructed but built to last, delivered untreated ready to hang with a Convex finish





## Specification

Ledged and Braced Top/Bottom rails:

Mid Rail: 145mm x 32mm 70mm x 19mm Bracing: Cladding: 18mm V Joint board Untreated

145mm x 32mm

#### espoke/ Made to Measure available. See Page 19

Standard stock sizes available: DOOR6'/FBBO 914W X 1800H DOOR5'/FBBO 914W X 1500H DOOR4'/FBBO 914W X 1200H DOOR3'/FBBO' 914W X 900H

## THE GATE RANGE

### Gates to secure your Property

'Coniston' Garden Door An enticing entrance to your garden that allows the light to flow through





#### Specification

Framed Ledged and Braced

95mm x 45mm Stiles: Top Rails: 95mm x 45mm 145mm x 25mm Mid Rail: Bottom Rail: 145mm x 45mm 95mm x 25mm Bracina:

Cladding: 70 x 19mm with approx. 20mm spacing Treatment: Pressure Treated Green (PTG)

#### Bespoke/ Made to Measure available. See Page 19

Standard stock sizes available:

DOOR6'/CON 914W X 1800H DOOR5'/CON 914W X 1500H DOOR4'/CON 914W X 1200H DOOR3'/CON 914W X 900H

### **'Edern' Garden Gate** To define your boundary, not create a barrier.



#### Specification

Framed Ledged and Braced

Stiles: 70mm x 45mm 70mm x 45mm - 2 way weathered Top Rails:

Mid Rail: 70mm x 45mm

Bottom Rail: 70mm x 32mm – 1 way chamfer Bracing:

Cladding: 12mm V joint board Available Untreated Ready

to Paint or in PTG

#### spoke/ Made to Measure available. See Page 19

Standard stock sizes available:

GATES/GARDEN6 914W X 1800H GATES/GARDEN5 914W X 1500H GATES/GARDEN4 914W X 1200H

GATES/GARDEN3 914W X 900H

### 'Borth' Garden Gate To define your boundary, with a concave design.



### Specification

Framed Ledged and Braced

70mm x 45mm Top Rails: 70mm x 45mm – 2 way weathered

Mid Rail: 70mm x 45mm

Bottom Rail: 70mm x 32mm - 1 way chamfer

70mm x 19mm Bracing: Cladding: 12mm V joint board

Available Untreated Ready to Paint or in PTG

#### spoke/ Made to Measure available. See Page 19

Standard stock sizes available

GATE6'/BORTH 914W X 1800H GATE5'/BORTH 914W X 1500H GATE4'/BORTH 914W X 1200H GATE/BORTH 914W X 900H

### 'Morfe' Garden Gate To define your boundary, with a convex design.



### Specification

Framed Ledged and Braced

Stiles: 70mm x 45mm

Top Rails: 70mm x 45mm - 2 way weathered Mid Rail: 70mm x 45mm

70mm x 32mm - 1 way chamfer

Bottom Rail: Bracing:

70mm x 19mm Cladding: 12mm V joint board

Available Untreated Ready to Paint or in PTG

## available. See Page 19

Standard stock sizes available

espoke/ Made to Measure

GATE6'/MOREE 914W X 1800H GATE5'/MORFE 914W X 1500H GATE4'/MOREE 914W/ X 1200H GATE/MORFE 914W X 900H





## THE GATE RANGE

### 'Waney' Gate

Complimenting your Waney Panels whilst giving security to your garden





#### Specification

ramed Ledged and Braced			
Stiles:	75mm x 34mm		
Top Rails:	75mm x 34mm		
Mid Rail:	75mm x 34mm		
Bottom Rail:	75mm x 34mm		
Bracing:	75mm x 22mm		
Cladding:	4.7mm Waney Sla		
Timber:	Sawn Timber Finis		

## Dipped or Pressure Treated Green (PTG)

## Ironmongery available separately and any size that you require

#### poke/ Made to Measu available. See Page 19

Standard stock sizes available:		
WGATE6X3	914W X 1800H	
WGATE5X3	914W X 1500H	
WGATE4X3	914W X 1200H	
MGATE3X3	91/M/ X 900H	

### 'Super Waney' Gate

Complimenting your Super Waney Panels whilst giving security to your garden





#### Specification

Framed Ledged and Braced

Stiles:	75mm x 34mm	
Top Rails:	75mm x 34mm	
Mid Rail:	75mm x 34mm	
Bottom Rail:	75mm x 34mm	
Bracing:	75mm x 22mm	
Cladding:	7mm Waney Slats	
Timber:	Sawn Timber Finish	

Dipped or Pressure Treated Green (PTG)

## . available. See Page 19

Standard stock sizes available WSUGATE6X3 914W X 1800H WSUGATE5X3 914W X 1500H WSUGATE4X3 914W X 1200H WSUGATE3X3 914W X 900H

### 'Cavalier' Palisade Gate

Palisade garden gate with Rounded Top Palins



Specification

Back Rails:

Dipped or Pressure Treated Green (PTG)

## available. See Page 19

Standard stock sizes available:

/5mm x 22mm		
75mm x 35mm	PALGATE6X3R	914W X 1800H
75mm x 22mm	PALGATE5X3R	914W X 1500H
Sawn Timber Finish	PALGATE4X3R	914W X 1200H
Dipped or Pressure Treated Green (PTG)	PALGATE3X3R	914W X 900H

### 'Peak' Palisade Gate

Palisade garden gate with Pointed Top Palins





### Specification

75mm x 22mm

75mm x 35mm Back Rails:

Dipped or Pressure Treated Green (PTG)

#### espoke/ Made to Measure available. See Page 19

Standard stock sizes available:

PALGATE6X3P 914W X 1800H PALGATE5X3P 914W X 1500H PALGATE4X3P 914W X 1200H PALGATE3X3P 914W X 900H

## THE ESTATE GATE RANGE

Gates can create the Perfect Entrance

Your gate is the front door to your garden.

Our Estate Gate Range offers many different designs to suit your requirements. Constructed with Joinery grade redwood or from a selection of hardwoods (Sapele, Iroko even Kiln dried Oak) All made at our own U.K Factory to our highest standard.

#### **Product Specification:**

Stiles and top rails @ 95mm x 57mm

Bottom Rail @ 145mm x 57mm

Mid Rail @ 145mm x 45mm

Bracing @ 95mm x 32mm

Clad - 12mm V Jointed Tongue & Groove

Treated with KOPPERS Brown RainDance a linseed oil-based wood oil for exterior use

espoke/ Made to Measu available. See Page 19





## THE ESTATE GATE RANGE

### Gates can create the Perfect Entrance

### 'Wiston' Convex Estate Gate

Convex style creating the first perfect impression

Specification
Stiles and top rails @ 95mm x 57mm
Bottom Rail @ 145mm x 57mm
Mid Rail @ 145mm x 45mm
Bracing @ 95mm x 32mm

Available Untreated or Treated





Ironmongery

available

separately

### 'Rowen' Flat top Estate Gate

Contemporary, simplistic yet elegant entrance

Specification
Stiles and top rails @ 95mm x 57mm
Bottom Rail @ 145mm x 57mm
Mid Rail @ 145mm x 45mm
Bracing @ 95mm x 32mm
Clad – 12mm V Jointed Tongue & Groove

Available Untreated or Treated





### 'Wentwood' Estate Gate

An enticing entrance with a difference

Specification
Stiles and top rails @ 95mm x 57mm
Bottom Rail @ 145mm x 57mm
Mid Rail @ 145mm x 45mm
Bracing @ 95mm x 32mm
Clad – 12mm V Jointed Tongue & Groove

Available Untreated or Treated





The gates above are untreated

## THE ESTATE GATE RANGE

Gates to secure your Property

### 'Gisburn' Estate Gate

Creating an aesthetically pleasing entrance

Specification Stiles and top rails @ 95mm x 57mm Bottom Rail @ 145mm x 57mm Mid Rail @ 95mm x 57mm Bracing @ 95mm x 32mm

Clad – 12mm V Jointed Tongue & Groove

Available Untreated or Treated





### 'Snowdonia' Estate Gate

Enhance the entrance of your property

### Specification

Stiles and top rails @ 95mm x 57mm

Bottom Rail @ 145mm x 57mm

Mid Rail @ 95mm x 57mm

Bracing @ 95mm x 32mm

Clad – 12mm V Jointed Tongue & Groove

Available Untreated or Treated





### 'Wychwood' Estate Gate

Offering a gate that is truly bespoke

#### Specification Stiles and top rails @ 95mm x 45mm Bottom Rail @ 95mm x 95mm Mid Rail @ 95mm x 45mm Bracing @ 95mm x 32mm Clad – 70 x 19 PAR

Available Untreated or Treated



# Top Tip

'Wooden gates should be allowed to dry for several days to allow any moisture in the wood to evaporate before treating'.





## BESPOKE ITEMS

### HOW DO I ORDER A BESPOKE OR MADE TO MEASURE ITEM?

What do I need to do?

- Decide on the style of the item required.
   Maybe do a sketch if you can or find an image
- · Write down the dimensions that you need Width / Height
- Take your sketch or image to your local Denbigh timber Products Stockist
- They will send your details to us and we will do the rest

### **BESPOKE GATES**

The following is a selection of Bespoke gates made to customers specifications & size. Making the gates in-house allows us the flexibility to meet your requirements.















EVERY PRODUCT IS MANUFACTURED IN THE UK

## STORAGE SOLUTIONS

All our sheds are manufactured here in the UK and we, as designers and manufacturers appreciate that we all have different needs so want to ensure that 'your shed' is fit for purpose. We can design any shed size and any style. We have given you ideas to ensure that your shed is manufactured to your complete satisfaction.

All our sheds are Pressure Treated Green to give protection against the elements. However, we do recommend that you treat your shed annually.





## Sheds

The options available, from single sheds, to multiple sheds and specific projects. You tell us your requirements and we will make it for you.

Type of Timber













Windows, no windows or extra windows. The choice is yours.











## STORAGE SOLUTIONS

## Our Traditional Garden Sheds



### 'Portishead' Apex or Pent Shiplap Shed

Specification

Standard Sizes: 4' x 4'. 6'x 4' or 7' x 5' – Bespoke Sizes Available

Cladding: 125mm x 12mm Shiplap PTG 38mm x 31mm PTG Framina: Roof & Floor: 12mm Tongue & Groove

1790mm x 730mm L & B clad with 12mm shiplap Door:

Fascia: 120mm x 19mm

Roof Covering: Polyester backed Heavy Duty Felt Window's

1 x 610mm x 610mm

SHSHP7X5PTG SHSHP6X4PTG SHSHP4X4PTG

Bespoke/ Made to Measur available. See Page 19



### 'Glentress' Apex Shiplap Shed

Specification

8' x 6', 10' x 6', 10' x 8' – Bespoke Sizes Available Standard Sizes:

Cladding: PTG Shiplap overlap 125mm x 12mm

38mm x 31mm Framing:

Roof & Floor: 12mm Tonque & Groove

1790mm x 730mm L & B clad with 12mm shiplap 120mm x 19mm Fascia:

Polyester backed Heavy Duty Felt Roof Covering: HT floor to Apex: 2355mm / HT floor to Eaves: 2030mm

Window's: 2 x 610mm x 610mm SHSHP10X8PTG SHSHP10X6PTG SHSHP8X6PTG

> Bespoke/ Made to Measu available. See Page 19



### 'Carrick' Pent Shiplap Shed

Specification

8' x 6', 10' x 6', 10' x 8' – Bespoke Sizes Available Standard Sizes: Cladding: PTG Shiplap overlap 125mm x 12mm

38mm x 31mm Framing: Roof & Floor:

12mm Tongue & Groove Door: 1790mm x 730mm L & B clad with 12mm shiplap

Fascia: 120mm x 19mm

Roof Covering: Polyester backed Heavy Duty Felt HT floor to Apex: 2165mm / HT at Back: 1960mm 2 x 610mm x 610mm

SHSHP10X8PTGPENT SHSHP10X6PTGPENT SHSHP8X6PTGPENT

> espoke/ Made to Measur vailable. See Page 19



### 'Galloway' Apex or Pent Featheredge Shed

Specification Standard Sizes:

6' x 4', 7' x 5', 8' x 6', 10' x 6', 10' x 8'

PTG Rough Sawn Featheredge/ Flatboard 10mm Cladding: Framing: 38mm x 31mm

Roof & Floor: 12mm Tonque & Groove 1790mm x 730mm L & B clad 10mm Flatboard Door:

120mm x 19mm Polyester backed Heavy Duty Felt Roof Coverina

SHFE10X6PTG SHFE8X6PTG SHFF7X5PTG SHFE6X4PTG

SHFE4X4PTG

SHFE10X8PTG

Bespoke/ Made to Measu

Your Shed will come flat packed with everything that you will require (excluding tools) including assembly instructions



"We can cater for any size, or even unusual shaped shed."



## BESPOKE STORAGE SOLUTIONS

Other Sizes Available

Looking for extra storage? Below are examples of ideas inspired by you. Your imagination knows no bounds....

All the following pictures are bespoke garden storage and can be made to any size or adapted to suit your individual needs....





















## Multi-Purpose Storage





### Sherwood Bike Storage

Designed to make a pleasing and stylish feature out of a practical necessity, with a natural finish. PAR, PTG Shiplap/Overlap 12mm with 12mm T & G roof & floor. Completed with double doors









## POTTING SHED

### Newborough Potting Shed



Our traditional Potting Sheds are durable, high quality, and just right for the keen gardener.

All manufactured in PAR 12mm Pressure Treated Green shiplap with 3 x 1420 x 730mm Dutch Light Greenhouse glass with a Single door on the side.

We also offer opening windows, if desired, please ask for further details.

Standard size 8' w x 6'6" h x 6' d POTTING



Bespoke Potting Shed Made to Customer spec.

## **Recycling Stores**





Standard size

755w x 905d x 1290h Single Bin Store

BINSTORE 1 Wheelie Bin Capacity BINSTORE-TRIPLE 3 Wheelie Bin Capacity



Triple Bin Store Shelf sections are available



Bespoke/ Made to Measure available. See Page 19



Log Store

STORE/LOG 1200WX600DX1200H STOPRE/LOGS 1200WX600DX1800H

## 'Tollymore' Summer House

## SUMMERHOUSES

Summerhouses provide an ideal location in your garden for you to relax or entertain 'in any weather'. Alternatively, summerhouses are a perfect extension of your living space, whether it is a relaxing area to escape or office space.



### Specification

Cladding: 18mm Log lap PTG

Roof & Floor: 12mm Tongue & Groove PTG

Bespoke

Order

63mm x 38mm Double Doors: 1.5mW x 6.6" 120mm x 19mm Facia:

5 Lever Mortice Lock: Lock

Front Canopy: 600mm deep

Bespoke/ Made to Measur available. See Page 19

**Pressure Treated** 

Pressure Treated SUMMER10X10PTG 10x10

## BESPOKE SUMMERHOUSES





## GAZEBOS & PERGOLAS

Whether your requirements are for practicality, an extension of space, a retreat or simply a feature The 'Wendover' Gazebo

Our standard Classic Gazebo is beautifully made from planed all round pressure treated timber.





#### Specification

Cladding: 125 x 12 Shiplap PTG 125 x 12 Shiplap PTG 70 x 70 PAR PTG 45 x 19 PAR PTG 70 x 19 PTG

Sespoke/ Made to Measure

available. See Page 19

GAZEBO (PAR) 3mx3m

### The 'Gosford' Pergola



 $\label{person} \mbox{Pergola components are made from Pressure Treated planed timber and can be sold}$ separately to enable you to design and construct your very own 'unique' pergola system.

Kit form 'Gosford' Pergola Components, as follows: -Uprights: 100 x 100mm x 3m 145 x 45mm x 3.6m 95 x 45mm x 1.8m Curved Corner Brackets

All supplied PAR Timber & Pressure Treated Green

spoke/ Made to Measure ailable. See Page 19

PERGFLATKITPTG 3.6mx1.8m - Kit Form

## **BESPOKE GAZEBOS**









## **GARDEN ARBOURS**

Archways can create a stunning walk through over a pathway, use as a frame for climbing plants - especially honey suckle and ivy. They create an idyllic entrance or use as a standard alone garden feature. Other Sizes Available

### Bayberry Arch

A Domed attractive arch which creates a perfect entrance



Uprights: 70 x 70 PAR PTG

45 x 19 PAR PTG With approx.

ARCH/BAYBERRY 1200w x 1828h x 600d

### Cottonwood Arch

This arch creates a stunning walk through which can also be used for climbing plants



Jprights: 70 x 70 PAR PTG 45 x 19 PAR PTG

ARCH/COTTONWOOD 1200w x 1828h x 600d

### Fernleaf Arch

Oriental attractive arch, which creates a beautiful entrance.



Uprights: 70 x 70 PAR PTG Trellis: 45 x 19 PAR PTG With approx.

75mm aperture

ARCH/FERNLEAF 1200w x 1828h x 600d

### Sophora Seated Arbour

Oriental Seated arbour



Uprights: 70 x 70 PAR PTG Trellis: 45 x 19 PAR PTG With approx. 75mm aperture

1200w x 1828h x 600d

ARCH/SOPHORA

### Rosewood Seated Arbour



Traditional arbour with a dome effect

Specification Uprights: 70 x 70 PAR PTG Trellis: 45 x 19 PAR PTG With approx. 75mm aperture

ARCH/ROSEWOOD 1200w x 1828h x 600d

## PLANTERS & GARDEN FURNITURE

The Finishing Touches to any garden, practical yet aesthetically pleasing



### Regal **Trellis** Planter

A compact, versatile planter, practical whilst aesthetically pleasing.

PLANT/REGAL 1200w x 450d x 1500h



### Trellis Toy Store

Practical and attractive trellis store for toy store garden equipment whilst providing a good seating area..

TOYSTORE 1200w x 450d x 1500h

### Small Planter

PLANTERSML 600x450x450





### Large Planter

PLANTERLGE 900x450x450



## GARDEN FURNITURE

Put away your DIY tools as all our Garden Furniture is delivered fully assembled

### Leeves Garden Table



A perfect companion to the Langley bench. PTG

**GARDENTABLE3FT** 955mmwx65mmhx430mmd

### Langley Garden Bench



A finishing touch to any garden or park

**GARDENBENCH5FT** 1500mmwx1100mmhx600mmd

Windle **Picnic Table** 



This versatile, sturdy picnic table provides a superior finish with fold

**GARDENPICNIC5FT** 1.5mLx800mmhx1.2mw

### Whitley Picnic Table



The Whitley Picnic Table is designed to accommodate Wheelchairs and Pushchairs.

GARDENPICNIC8FT-DA 2.4mLx800mmhx1.2mw

#### 3 x 3 Timber



The standard 75mm square post is available in a water-based treatment or pressure treated. This post is ideal for use with fence panels and gates.

Water Based POSTW3X36 1800mm POSTW3X38 2400mm POSTW3X310 3000mm Other sizes available

PRESSURE TREATED POSTS POSTW3X36PTG 1800mm POSTW3X38PTG 2400mm

POSTW3X310PTG 3000mm Other sizes available

TIMBER POSTS

### 4 x 4 Timber



The standard 100mm square post is available in a water-based treatment or pressure treated. This post is ideal for use with fence panels and gates.

Water Based POSTW4X46 1800mm POSTW4X48 2400mm POSTW4X410 3000mm Other sizes available

PRESSURE TREATED POSTS POSTW4X46PTG 1800mm POSTW4X48PTG 2400mm

PRESSURE TREATED POSTS

POSTW4X410PTG 3000mm Other sizes available

### Slotted 4 x 4



The slotted 100mm square post is available in a water-based treatment or pressure treated. This post is ideal for use with fence panels and gates.

Water Based POSTWS4X46 1800mm POSTWS4X48 2400mm POSTWS4X410 3000mm

POSTWS4X46PTG 1800mm POSTWS4X48PTG 2400mm POSTWS4X410PTG 3000mm Other sizes available Other sizes available

Our Pressure Treated timber posts are for Use Class 4 applications and come with a 15-year warranty





## LANDSCAPING ESSENTIALS

Landscaping Accessories and essentials provide the definition, identity and finish to any garden, combined with inspiration, we provide all that you could need to create the ultimate extension to your garden

### Post and Rail



### Birdsmouth Fencing



## Heavy Duty Polyester baćked Felt


Character Rope/ Decorative PAR posts



Timber Base Boards



**Battens** 



**Back Rails** 

Waney Slats



BOMWANEYSLAT 6'/1828 BOMWANEYSLATPTG 6'/1828

POSTCAPS4X4

POSTCAPS5X5

POSTCAPS5X5PTG 100x100

Post Caps





Featheredge Slats

F/EDGE 125x10 F/EDGEPTG 125x10

**Ball Finial** 

Galv Straps





**PALINSR** PALINSP



Palins - Round

or Pointed

ROUND POINTED



Acorn Finial



FINBALL75 FINBALL75PTG 75X75 FINBALL100PTG



FINREGAL75PTG 75X75



FINACORN75 FINACORN75PTG 75X75 FINACORN100PTG

Aquatan

Aquatan 5lt Tin -



100×100

Refresh your fencing with Aquatan

Top Caps



TOPCAPPTG 1828×44×16 TCGATE

Loa Roll

Log Roll edging is perfect for creating any border and is quick and easy to fit



PTG 9" Log Rolls x 1.8m long LOG12" PTG 12" Log Rolls x 1.8m long

## PETS PALACES

Our animal housing provides shelter and safety for all kinds of all animals, from household pets, to working animals, to equestrian requirements, to preserving and encouraging wildlife

### Bespoke Dog Runs



Field Shelters



Dog Kennels



SHIPLAP – PRESSURE TREATED PETDOGSHP3X2PTG 900x600 PETDOGSHP4X3PTG 1200x900

FEATHEREDGE – PRESSURE TREATED PETDOGFE3X2PTG 900x600 PETDOGFE4X3PTG 1200x900

Rabbit Hutch



PETRABBITPTG 1.5mmWx900mmHx600mmD

### Chicken Houses



PRESSURE TREATED



PRESSURE TREATED PETCHKNHOUSEPTG

PETCHKNHOUSE8PTG 2.4X1.8

### Bird Box



These subtle Box nesting boxes provide a safe and snug place for birds to roost and nest whilst preserving and encouraging wildlife. With a detachable roof for easy access.

### **Bat Box**



PETBAT

### **Hedgehog Box**



www.denbightimberproducts.co.uk

EVERY PRODUCT IS MANUFACTURED IN THE UK



"On behalf of the Team at Denbigh Timber Products, Thank you for considering our products and services and if you couldn't find what you were looking for, please Contact us"











For more information, please contact your stockist directly. Check our website for your local stockist, latest news and new products.

## www.denbightimberproducts.co.uk



@denbightimberproducts



@denbigh\_timber

Copyright Denbigh Timber Products Ltd. All rights reserved. The information contained within this publication is believed to be correct and complete at the time of printing. Denbigh Timber Products reserve the right to change prices and product style without notification.